

A DIOPHANTINE SUM WITH FACTORIALS

GEOFFREY B CAMPBELL AND ALEKSANDER ZUJEV

ABSTRACT. We give solutions of a Diophantine equation containing factorials, which can be written as a cubic form, or as a sum of binomial coefficients. We also give some solutions to higher degree forms and relate some solutions to an unsolvable Fermat Last Theorem equation.

1. CONTEXT OF THE PROBLEM

The problem $x^3 + y^3 + z^3 = x + y + z$ is listed in the book by Guy (see [5, Section D8, A pyramidal diophantine equation]) as an unsolved problem of circa 1981. However, later Guy also mentions Bremner, [3] remarking that he "has effectively determined all parametric solutions". Bremner's paper is thorough and sophisticated, whereas, Oppenheim [6] also considers this same problem and provides small solutions. In volume three of classical Number Theory compendium by Dickson [6] the equation $\binom{a}{3} + \binom{b}{3} = \binom{c}{3}$ is simply mentioned as having known solutions, but without examples nor any further remarks. The problem itself of solving the Diophantine equation $x^3 + y^3 + z^3 = x + y + z$ was used in a proof of Fermat's Last Theorem by van der Poorten [7] in the case of index 3, and it turns out equivalent to solving $a!/(a-3)! + b!/(b-3)! = c!/(c-3)!$.

Diophantine equations typically take the simplistic form, for integers a_j , a_k , x , y , and fixed positive integers m or s ,

$$(1.1) \quad \sum_{j=0}^n a_j x^m = \sum_{k=0}^r a_k y^s.$$

In this note we consider the form for positive integers n , $a - n$, $b - n$, $c - n$,

$$(1.2) \quad a!/(a-n)! + b!/(b-n)! = c!/(c-n)!$$

and show that for $n = 3$ there are an infinite number of integer solutions, and that, since

$$(1.3) \quad (a+1)!/(a-2)! = a^3 - a$$

these reduce to $x^3 + y^3 + z^3 = x + y + z$ which is in the traditional form (1.1). It is easy to find solutions of (1.2) such as the following:-

$$(1.4) \quad 5!/2! + 5!/2! = 6!/3!$$

$$(1.5) \quad 10!/7! + 16!/13! = 17!/14!$$

$$(1.6) \quad 22!/19! + 56!/53! = 57!/54!$$

$$(1.7) \quad 32!/29! + 57!/54! = 60!/57!$$

1991 *Mathematics Subject Classification*. Primary: 11D25; Secondary: 11D45, 11D41.

Key words and phrases. Cubic and quartic equations, Counting solutions of Diophantine equations, Higher degree equations; Fermats equation.

$$(1.8) \quad 41!/38! + 72!/69! = 76!/73!$$

Hence, using (1.3) on (1.4) to (1.8) we find solutions of $a^3 - a + b^3 - b = c^3 - c$ for positive integers a , b and c , for instance,

$$(1.9) \quad 4^3 - 4 + 4^3 - 4 = 5^3 - 5;$$

$$(1.10) \quad 9^3 - 9 + 15^3 - 15 = 16^3 - 16;$$

$$(1.11) \quad 21^3 - 21 + 55^3 - 55 = 56^3 - 56;$$

$$(1.12) \quad 31^3 - 31 + 56^3 - 56 = 59^3 - 59;$$

$$(1.13) \quad 40^3 - 40 + 71^3 - 71 = 75^3 - 75.$$

We know from Fermats Last Theorems that $a^3 + b^3 = c^3$ is not possible for positive integers a , b and c , so (1.9) to (1.13) is a kind of surprising variant on this. Lets check for solutions to (1.2) where $n = 4$. The equation we are dealing with is therefore,

$$(1.14) \quad a!/(a-4)! + b!/(b-4)! = c!/(c-4)!$$

or equivalently, for positive integers a , b and c ,

$$(1.15) \quad a(a-1)(a-2)(a-3) + b(b-1)(b-2)(b-3) = c(c-1)(c-2)(c-3).$$

A shallow search of natural numbers a , b and c , less than 100 yields no non-trivial cases of (1.15). However, the equations $a^3 + a + b^3 + b = c^3 + c - 6^3$ and $a^3 + a + b^3 + b = c^3 + c - 10^3$ have solutions, some examples as follows,

$$(1.16) \quad 1^3 + 1 + 8^3 + 8 = 9^3 + 9 - 6^3;$$

and also:

$$(1.17) \quad 1^3 + 1 + 9^3 + 9 = 12^3 + 12 - 10^3,$$

$$(1.18) \quad 9^3 + 9 + 16^3 + 16 = 18^3 + 18 - 10^3,$$

$$(1.19) \quad 8^3 + 8 + 22^3 + 22 = 23^3 + 23 - 10^3.$$

Evidently this factorial form of problem is relatively new in the ancient literature, as in since 2002. There appears to be a nontrivial theory worth exploring for it. For example, we show below that there are an infinite number of solutions to the equation $a!/(a-3)! + b!/(b-3)! = c!/(c-3)!$ for positive integers a , b and c . This is equivalent to asserting that there are an infinite number of solutions to the equation $a(a+1)(a+2) + b(b+1)(b+2) = c(c+1)(c+2)$. There was a brief unresolved online discussion on equations of kind (1.2) where $n = 3$ in 2002. The discussion thread unsuccessfully sought an identity for these and/or a proof that an infinite number of solutions exist. We next provide that proof and identity.

2. PROOF OF INFINITE NUMBER OF SOLUTIONS

We start with the

Theorem 2.1. *The equation $a^3 - a + b^3 - b = c^3 - c$ has an infinite number of positive integer solutions.*

PROOF. Let $a = u - v, b = kv, c = u + v$. After substitution this becomes $(k^3 - 2)v^2 - 6u^2 = k - 2$, which is a Pell type equation if we fix a value of k .

For $k = 1$; we arrive at $v^2 + 6u^2 = 1$, whose only integer solutions are $u = 0, v = 1$, or $v = -1$. For $k = 2$, we have next $v^2 = u^2 + 1$, whose only integer solutions are also $u = 0, v = 1$, or $v = -1$.

For $k = 3$ we have $25v^2 - 6u^2 = 1$, which is a Pell equation with an infinite number of solutions. END OF PROOF.

Incidentally, for $25v^2 - 6u^2 = 1$, the general solution is given by

$$u = ((5 - 2\sqrt{6})^n - (5 + 2\sqrt{6})^n)/(2\sqrt{6}),$$

$$5v = 1/2(-(5 - 2\sqrt{6})^n - (5 + 2\sqrt{6})^n),$$

for non-negative integers n . So we have an infinite family of solutions starting with:

$v = 1, u = 2, a = 1, b = 3, c = 3$ (trivial solution), then

$v = 97, u = 198, a = 101, b = 291, c = 295 \dots$

For $k = 4$: $31v^2 - 3u^2 = 1$

This Pell-type equation has solutions: $v = 14, u = 45, a = 31, b = 56, c = 59$

$v = 340214, u = 1093635, a = 753421, b = 1360856, c = 1433849 \dots$

For $k = 5, 6$ there are no solutions.

For $k = 7$ we arrive at $341v^2 - 6u^2 = 5$.

This has an infinite number of solutions, starting with:

$v = 13, u = 98, a = 85, b = 91, c = 111$

$v = 941, u = 7094, a = 6153, b = 6587, c = 8035 \dots$

Any one of the above solvable Pell equations proves the theorem.

3. SOLUTIONS OF EQUATION $a!/(a - n)! + b!/(b - n)! = c!/(c - n)!$ FOR $n = 6$

We state the

Theorem 3.1. *The equation*

$$(3.1) \quad a!/(a - 6)! + b!/(b - 6)! = c!/(c - 6)!,$$

has positive integer solutions.

After a fairly extensive search it seems likely that the only solutions of (3.1) are:

$$(3.2) \quad 11!/5! + 11!/5! = 12!/6!,$$

$$(3.3) \quad 14!/8! + 15!/9! = 16!/10!,$$

$$(3.4) \quad 19!/13! + 19!/13! = 21!/15!.$$

There seems no literature related to (3.1), which could be restated in terms of binomial coefficients as

$$(3.5) \quad \binom{a}{6} + \binom{b}{6} = \binom{c}{6}$$

.

Hence, equations (3.2), (3.3) and (3.4) above could be written as solutions to (3.5) as:

$$(3.6) \quad \binom{11}{6} + \binom{11}{6} = \binom{12}{6},$$

$$(3.7) \quad \binom{14}{6} + \binom{15}{6} = \binom{16}{6},$$

$$(3.8) \quad \binom{19}{6} + \binom{19}{6} = \binom{21}{6}.$$

It would perhaps be interesting to solve equations for positive integers n generally,

$$(3.9) \quad \binom{a}{n}^2 + \binom{b}{n}^2 = \binom{c}{n}^2,$$

or for the generalization,

$$(3.10) \quad \binom{a}{n} \binom{b}{n} + \binom{c}{n} \binom{d}{n} = \binom{e}{n} \binom{f}{n}.$$

REFERENCES

- [1] ABRAMOWITZ, M., and STEGUN, I. Handbook of Mathematical Functions, Dover Publications Inc., New York, 1972.
- [2] ANDREWS, G. E. Number Theory. W. B. Saunders, Philadelphia, 1971. (Reprinted: Hindustan Publishing Co., New Delhi, 1984)
- [3] BREMNER, A. Integer points on a special cubic surface, Duke Math. J., 44(1977) 757-765; MR 58 no 27745.
- [4] DICKSON, L. E. History of the Theory of Numbers, Vol II, Ch XXII, page 644, originally published 1919 by Carnegie Inst of Washington, reprinted by The American Mathematical Society 1999.
- [5] GUY, R. K. "Unsolved Problems in Number Theory", New York, Heidelberg, Berlin: Springer-Verlag, 1981, p. vii. section D8 A pyramidal diophantine equation.
- [6] OPPENHEIM, A. "On the Diophantine equation $x/ya + zx/y + z$ ", Proc. Amer. Math. Soc. 17(1966), 493-496.
- [7] van der POORTEN, A. J. On Fermats Last Theorem variant, J. Number Theory, Vol 52, No 1, 1975, 125-144.

MATHEMATICAL SCIENCES INSTITUTE, THE AUSTRALIAN NATIONAL UNIVERSITY, ACT,
0200, AUSTRALIA

E-mail address: `Geoffrey.Campbell@anu.edu.au`

PHYSICS DEPARTMENT, UNIVERSITY OF CALIFORNIA, DAVIS, CALIFORNIA 95616, USA

E-mail address: `azujev@ucdavis.edu`